

iSupply software application - release advice - version 7.28.1.1

Prerequisites - iSupply

<u> Prerequisites - iSupplyRF</u>

Microsoft .NET Compact Framework 3.5

iSupply version 7.27.1.1 Mic Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4

iSupply release and version details

iSupply version:7Release status:6Applications released:is

7.28.1.1 General release iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

| iSupply version 7.28.1.1 |
|--------------------------|
| MSI path and name: |
| SQL update scripts: |

released 07/01/2009 (015329) http://www.lsi.net.au/files/versions/iSupply-7-28-1-1.zip DB7-28-1-1.sql

Release inclusions and notes

| Job-no | Code | Details/remarks | | |
|------------------|---|--|--|--|
| 014333 | LS | iSupplyUtilities – include scales test, mail test, view licence details, view script history, view and kill authentication tickets, test label printing, view database locks | | |
| 014590/06 | SP | RF putaway – restructure shipment advice database schema ready for customer order put away | | |
| 014590/07 | SP | RF receiving – print product labels. | | |
| 014590/07 | SP | RF receiving – print warehouse transfer labels | | |
| 014590/07 | SP | RF receiving – print customer order labels | | |
| 014784 | TA | Freight label print – Generic label style on Zebra – rectify missing state and postcode | | |
| 014950 | UT | Manifest print – rectify truncated freight label numbers | | |
| 015370 | HW | Export pick slips – MAS728P – rectify incorrect export file trailer record | | |
| 015378 | LS | Transporter rates report – standardize to specific transporter option | | |
| 015384 | LS | Transporter booking report – fix format inconsistencies and occasional crashe | | |
| | | Incorporations from fix versions | | |
| | | From version 7.24.1.3 | | |
| 015370 | HW | Export pick slips – MAS728P - remove the BOM (Byte Order Mark) characters at the start of each export file | | |
| 015370 | 70 HW Export pick slips – MAS728P – rectify the incorrect rec | | - MAS728P - rectify the incorrect record count in the file trailer | |
| | | From version 7.26.2.2 | | |
| 015385 | SP | RF Walkin orders – rectify incorrect values in status node <iserror></iserror> | | |
| 015385 | SP | RF Walkin orders – rectify missing events in the order log | | |
| 015385 | SP | RF Walkin orders – F4 delete to show in progress hourglass | | |
| <u>New maint</u> | ainable set | tings | | |
| Setting | | | Details | |
| None | | | None | |

Import/export file format changes

| Transaction | Data fields |
|-------------|-------------|
| None | None |

iSupply install steps for this release when upgrading from iSupply version 7.27.1.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-28-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-28-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-28-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 7-28-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}\xspace \ensuremath{\mathsf{viSupply$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-28-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-28-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-28-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-28-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-28-1-1.sql.

Finalisation

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.