CUSTOMER SATISFACTION TAASSORT OUICK RESPONSE DISTRIBUTION JUST IN TIME WAREHOUSING WAREHOUSING	Logistics Software	Logistics Solutions Provider to Supply Chain Management	Suite 9.2, Level 1 Zenith Business Centre 6 Reliance Drive Tuggerah NSW 2259 Australia Tel: +61 2 4351 3500 Email: <u>support@lsi.net.au</u>	
INTEGRATION	International	GOLD CERTIFIED Partner Business Process and Integration	Web site: <u>www.lsi.net.au</u> ABN: 33 414 337 680	
iSupply software application - release advice - version 7.31.2.1				
Prerequisites - iSupply Prerequisites - iSupplyRF iSupply version 7.31.1.1 Microsoft .NET Compact Framework 3.5 Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4 NET Framework 4				
iSupply release an		7 31 3 1		
Release status:	General relea	General release		
Applications released	d: iSupply, iSup	iSupply, iSupplyWeb, iSupplyRF		
This release must be installed to the test environment and user acceptance tested before installation to the live environment				
iSupply version 7.31.2.1released 25/03/2009 (015597)MSI path and name:http://www.lsi.net.au/files/versions/iSupply-7-31-2-1.zipSQL update scripts:DB7-31-2-1.sql				

Release inclusions and notes

Code

Job-no

Details/remarks

None		None		
Transaction		Data fields		
Import/ex	port file for	mat changes		
None		None		
Setting		Details		
New maint	ainable set	tings		
015592	CA	Transporter invoice analysis report – rectify program mis-operation		
015583	TA	Import pickslips - Momentum-Pro- rectify mis-handling of duplicate pick slips		
015581	TA	Consignment note details entry/enquiry – rectify incorrectly populated Toll laser label barcode		
015566	HW	Import orders – Oracle MIL732P – restore previous processing for kitted products		
015452	HW	Create AASN – KAO734P – rectify AASN creation commencement whilst consignment is still being finalized		
015446	HW	Consignment note details entry/enquiry – rectify label numbers re-allocating when the message "Service does not allow zero cost" appears in change mode		
015446	HW	Consignment note details entry/enquiry – rectify hand-rated consignments from removing the cost and charge when saving consignments in change mode		
015224	CA	Delete old orders – rectify the mis-handling of a long order number		
015224	CA	Print manifest – rectify iSupply freezing when print manifest details is used to reprint consignment notes as per transporters setting "Print c/notes upon manifest build"		
015224	CA	SSCC labels – rectify SSCC number on label not matching SSCC number stored in system when using a packaging unit type		
015224	CA	Freight label print/reprint - AirRoad – rectify erroneous information regarding c/note numbers- barcode readable and consignment numbers are different		
015224	CA	Freight label print/reprint - AaE – rectify erroneous information regarding c/note numbers- barcode readable and consignment numbers are different		
015224	CA	Import orders - MasterPack/Oracle - rectify references printing on AirRoad consignments		
		From version 7.24.2.1		
		Incorporations from fix versions		
015604	LS	System setup - improve data field help prompts		
015603	LS	Export consignment details to transporter – convert ParcelTrac to stylesheet		
015580	DH	Install future rates as current – disallow a change to the install effective date		
015580	DH	Rates – import - disallow a form close unless first cancelled		
015580	DH	Allocate locations to charging zones – import - disallow a form close unless first cancelled		
015580	DH	Allocate locations to charging zones – import - improve the processing speed		
015580	DH	Services maintenance – improve performance of services enquire/change/delete list		
015504	DH	Road Runner - consignment details export		
015447	DH	Allied Express – consignment details export		
015258	LS	Windows Server and SQL Server 2008 compatibility		

<u>Notes</u>

Transporter Details Maintenance--->Electronic transfer details New options for Allied Express and Road Runners

iSupply install steps for this release when upgrading from iSupply version 7.31.1.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-31-2-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-31-2-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-31-2-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

5. Install iSupply eCS Service 7-31-2-1 x64.msi by running "setup.exe".

6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service

- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{ubc}}\xspace$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-31-2-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-31-2-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-31-2-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-31-2-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-31-2-1.sql.

<u>Finalisation</u>

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.