



LSI
Logistics
Software
International

Logistics Solutions Provider
to
Supply Chain Management



Mobility Solutions
ISV/Software Solutions
Business Process and Integration

Suite 9.2, Level 1
Zenith Business Centre
6 Reliance Drive
Tuggerah NSW 2259
Australia
Tel: +61 2 4351 3500
Email: support@lsi.net.au
Web site: www.lsi.net.au
ABN: 33 414 337 680

iSupply software application - release advice - version 7.32.1.1

Prerequisites - iSupply

iSupply version 7.31.2.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 7.32.1.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.32.1.1 released 21/04/2009 (015611)

MSI path and name: <http://www.lsi.net.au/files/versions/iSupply-7-32-1-1.zip>

SQL update scripts: DB7-32-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks
--------	------	-----------------

014108	GM	Export consignment data to transporter – Mainfreight – rectify incorrect document content
014432	LS	Picking/packing preparation – correct report sequence
014926	LS	iSupplyRF KPI reporting – include receiving and putaway statistics
015125	LS	Print pick slips – include “end of pick slip” line
015198	LS	Sender details maintenance – include function to remove image
015198	LS	Company products maintenance – include function to remove image
015505	CA	MasterPack wave pick import
015612	LS	Postcodes and locations maintenance - improve data field help prompts
015612	LS	Create/modify user accounts - improve data field help prompts
015612	LS	Setup printers by user - improve data field help prompts
015612	LS	UN HazChem codes maintenance - improve data field help prompts
015613	LS	Export consignment details to transporter – convert Startrack v7 to stylesheet
015621	LS	Transporter details maintenance, Sender/warehouse details maintenance – enforce entry of c/note number range if auto c/note nos checked
015639	DH	Export consignment data to transporter – Allied Express – rectify transmission date format and sender details
		Incorporations from fix versions
		From version 7.13.6.15
014859	PC	Customer manifest - rectify missing IBNs
015242	PC	Customer manifest - rectify missing IBNs
015540	PC	Confirmed pick slip export - rectify incorrect freight charge values for freight free orders
015544	PC	Order entry/enquiry - rectify incorrect search results when enquiring upon IBNs
		From version 7.24.2.2
015537	HW	Freight label – Toll Ipec – rectify incorrect barcode
015598	TA	Import pick slip – MomentumPro – rectify incorrect composition of incoming receiver code
		From version 7.31.2.2
015634	DH	iSupply database access – improve database access efficiency
		From version 7.31.2.3
015639	DH	Export consignment details to transporter – rectify incorrect data content for Allied Express
015655	DH	iSupply database access – improve database access efficiency
015656	DH	Scan and pack orders – F6 mode – rectify incorrect number of printed SSCC labels
015666	DH	Consignment details entry – rectify the creation of one consignment multiple times
		From version 7.31.2.4
014108	GM	Export consignment data to transporter – Mainfreight – rectify incorrect document content
015671	DH	Consignment details entry – Toll Priority freight label – rectify incorrect barcode content
015673	DH	Import freight tracking details – AaE – improve program performance
015677	DH	Import consignment note details – MHN790P - ensure that temporary work files are deleted from the TEMP directory
015677	DH	Import freight tracking details - DHL785P- ensure that temporary work files are deleted from the TEMP directory
		From version 7.31.2.5
015673	DH	Import freight tracking details – AaE – improve program performance
015677	DH	Import consignment note details – MHN790P - ensure that temporary work files are deleted from the TEMP directory
015677	DH	Import freight tracking details - DHL785P- ensure that temporary work files are deleted from the TEMP directory
015678	DH	Export consignment data – EXL550P – adjust export file content
015680	DH	Export consignment data to transporter – Toll Ipec – adjust export file content
015683	DH	Export consignment data to transporter – Toll Ipec – rectify program crash when exporting via menu
New maintainable settings		
Setting		Details
None		None

Import/export file format changes

Transaction	Data fields
None	None

Notes

Sender Details Maintenance--->Consignment note entry/enquiry settings

New setting "Import consignment type"

Select the consignment type from the drop down listing - if populated, the consignment type is automatically inserted into consignment details when importing consignments via Import Consignment Note Details

Sender Details Maintenance--->Consignment note entry/enquiry settings

New setting "Acknowledgement directory"

If populated, when importing consignments via Import Consignment Note Details, an acknowledgement file containing an entry for each imported consignment, is created in this directory

iSupply install steps for this release when upgrading from iSupply version 7.31.2.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-32-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-32-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service\iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-32-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-32-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service\iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
 - 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client").
 - 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
 - 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client").
 - 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-32-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-32-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-32-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-32-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-32-1-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.