

iSupply software application - release advice - version 7.35.1.1

Prerequisites - iSupply

<u> Prerequisites - iSupplyRF</u>

Microsoft .NET Compact Framework 3.5

iSupply version 7.34.1.1 Mic Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4

iSupply release and version details

iSupply version: Release status: Applications released:

7.35.1.1 General release iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.35.1.1 MSI path and name: SQL update scripts:

released 24/06/2009 (015791) http://www.lsi.net.au/files/versions/iSupply-7-35-1-1.zip DB7-35-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks	
013419	LS	Orders/Transporters KPI report - make hours/minutes in time format hh:mm	
015206	LS	Setup scheduled tasks - ensure that an import file extension is specified for imports	
015412	HW	Order entry/enquiry - order status - rectify order status value with AASN processing	
015558	MS	Export consignment data to transporter - new export for transporter DHL	
015617	UT	Orders list - rectify incorrect emails from orders import	
015778	HW	Print SSCC labels - Woolworths - rectify incorrect barcode	
015822	DH	Create/modify user accounts - make view c/note costs default as unchecked when adding a user	
015826	HW	Order entry/enquiry - rectify truncated event display	
015851	LS	Export consignment data to transporter - convert AaE export to stylesheet	
015852	LS	Export consignment data to transporter - remove McPhee export from iSupply	
015853	LS	Receivers maintenance - use Developers Assistant help prompt	
		Incorporations from fix versions	
		From version 7.24.2.5	
015825	ТА	Export pick slips - Momentum Pro - rectify incorrect site code passed back to host	
		From version 7.31.1.2	
015746	GT	Price tickets - rectify incorrect label printer direction	
015796	GT	Print SSCC labels - new SSCC label format for Harris Scarfe	
		From version 7.31.2.11	
015822	DH	Create/modify user accounts - make "View c/note costs" default to unchecked when adding a user	
015865	DH	Consignment Note Details Entry / Enquiry - display freight tracking information regardless of whether the track & trace event code exists for the transporter	
015887	DH	Import freight tracking data - AAE - reject records within the file that do not contain a label number	
015893	DH	Import freight tracking data - DHL - allow the delivery date to be imported with a date format of dd-mmm-yyyy	
		From version 7.34.2.1	
015798	IG	Import orders - adjust Kmart processing for blanket and release orders	
New maint	ainable set	tings	

Setting	Details			
None	None			
Import/export file format changes				
Transaction	Data fields			
None	None			
None				

iSupply install steps for this release when upgrading from iSupply version 7.34.1.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-35-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-35-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-35-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 7-35-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{ubc}}\xspace$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-35-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-35-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-35-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-35-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-35-1-1.sql.

Finalisation

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.