

iSupply software application - release advice - version 7.37.1.1

Prerequisites - iSupply

<u> Prerequisites - iSupplyRF</u>

Microsoft .NET Compact Framework 3.5

iSupply version 7.36.3.1 Mic Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4

iSupply release and version details

iSupply version:7.37.1.1Release status:General releaseApplications released:iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.37.1.1 MSI path and name: SQL update scripts:

released 14/08/2009 (016013) http://www.lsi.net.au/files/versions/iSupply-7-37-1-1.zip DB7-37-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks	
015827	UT	Trading partner processing - Harris Scarfe - finalisation and accreditation	
015947	LS	Debtors account summary, Invoices list - remove from iSupply	
015990	LS	FCC processing - remove from iSupply	
015995	LS	Product sizes import - remove from iSupply	
016016	LS	Stocktake/Cycle count menu - remove stocktake/cycle count imports/exports	
016035	LS	System Setup - update help for "Variance %" setting	
016052	LS	Reveal pick slip interface - remove from iSupply	
016077	UT	Scan & pack orders - Single unit pack - rectify incorrect construction of SSCC number	

<u>New maintainable settings</u>

None None	Setting	Details
	None	None

Import/export file format changes

Transaction	Data fields
Order Import - EDIPlus	Order header record - "Labelling code" position 565 increased in length from 2 to 12 characters
Order Import - EDIPlus	Order line record - new data field "Order line number" length 11 alphanumeric added at position 269 after "Inners per outer"
Order Import - Integrator	Order header record - "Labelling code" position 565 increased in length from 2 to 12 characters
Order Import - Integrator	Order line record - new data field "Order line number" length 11 alphanumeric added at position 269 after "Inners per outer"
Pick Slip Export - Reveal	Removed from iSupply
Product Import - Generic (product sizes)	Removed from iSupply
Miscellaneous Interface - Stocktake book import	Removed from iSupply
Miscellaneous Interface - Stocktake book export	Removed from iSupply

<u>Notes</u>

Sender Details Maintenance---> Consignment note entry/enquiry settings Setting "Direct despatch" moved from Invoice settings menu.

Sender Details Maintenance---> Invoice settings Setting "Invoice type" replaced with "Print invoice" checkbox setting.

iSupply install steps for this release when upgrading from iSupply version 7.36.3.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-37-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-37-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-37-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 7-37-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{has}}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{has}}}\xspace \ensuremath{\mathsf{has}}\xspace \ensure$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-37-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-37-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-37-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-37-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-37-1-1.sql.

<u>Finalisation</u>

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.