

iSupply software application - release advice - version 7.40.1.1

Prerequisites - iSupply

<u> Prerequisites - iSupplyRF</u>

Microsoft .NET Compact Framework 3.5

iSupply version 7.39.4.1 Mic Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4

iSupply release and version details

iSupply version: Release status: Applications released:

7.40.1.1 General release iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.40.1.1			
MSI path and name:			
SQL update scripts:			

released 08/12/2009 (016386) http://www.lsi.net.au/files/versions/iSupply-7-40-1-1.zip DB7-40-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks		
016342	AI	Consignment details entry / update / enquiry - create new customer manifest based on consigning details only		
016345	AI	Consignment details entry / update / enquiry - extend the length of the reference's description field to 100 characters		
016347	AI	Consignment details entry / update / enquiry - Generic laser c/note - print the pallet details box on the Delivered section		
016348	AI	Consignment details entry / update / enquiry - add delivery window entry fields		
016349	AI	Consignment details entry / update / enquiry - add new generic freight label format that prints the freight items corresponding description		
016371	AI	eCS - Transporter invoice import - Expand error description for rejected import file		
016395	AI	Consignment details export to transporter - Booth - Calculate cubic based on kilograms if cubic not populated		
		Incorporations from fix versions		
		From version 7.39.2.2		
016376	SB	Import pick slips - Great Plains - rectify incorrect saving of incoming XML data		
		From version 7.39.2.3		
016388	SB	iSupplyRF bulk pick - Rectify incorrect focus after scanning bin location		
016396	SB	iSupplyRF pick/pack - Rectify error when marking bin location as empty		
016397	SB	iSupplyRF pick/pack - Increase webservice timeout when closing pickslip		
016398	SB	Order export - MGP725P - Include tax nodes in EDI order export to Great Plains		
		From version 7.39.2.4		
016403	SB	Import pick slips - Great Plains MGP727P - rectify the recording and use of unit of measure conversion data		
		From version 7.39.4.2		
016415	DH	Consignment Details Entry / Update / Enquiry - Swap out - rectify display of transporter services		
016416	DH	Consignment Details Entry / Update / Enquiry - rectify freight reference on freight label reprint of consolidated consignments		
016419	DH	Services maintenance - Import - Rectify import of future services updating current services		
016420	DH	Consignment Details Entry / Update / Enquiry - rectify return consignment label reprint display of address details		
016437	DH	Manifest Build - remove SQL blockage when creating a manifest		

New maintainable settings				
Setting	Details			
Sender Details	Customer manifest fields			
Import/export file format changes				
Transaction	Data fields			
Transporter Invoice Import - StarTrack	Pass the correct error message back to eCS			
Carrier Export - Booth Transport	Calculate cubic based on kilograms if cubic not populated			

<u>Notes</u>

Consignment Details Entry / Update / Enquiry

- The previous Action buttons menu has been replaced with an iSupply standard toolbar and standard windows menu system.

- The Test and Record buttons that were previously present on the Action buttons menu are now in the windows menu only (and not on the toolbar). - All items from the previous Actions menu (Swap-out, Show Full Address Details etc) have been moved into

the More Details menu.

- The Consignment Details Entry / Update / Enquiry screen can now be resized and maximized (the maximized screen will only enlarge to a maximum of 1000x800).

iSupply install steps for this release when upgrading from iSupply version 7.39.4.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-40-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-40-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-40-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 7-40-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{iSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{iben}}\xspace \ensuremath{\mathsf{abc}}\xspace \ensuremath{\mathsf{abc}}\xspace$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-40-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-40-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-40-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-40-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-40-1-1.sql.

Finalisation

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.