

iSupply software application - release advice - version 7.41.1.1

Prerequisites - iSupply

<u> Prerequisites - iSupplyRF</u>

Microsoft .NET Compact Framework 3.5

iSupply version 7.40.1.1 Mic Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4

iSupply release and version details

iSupply version: Release status: Applications released:

7.41.1.1 General release iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.41.1.1			
MSI path and name:			
SQL update scripts:			

released 24/12/2009 (016456) http://www.lsi.net.au/files/versions/iSupply-7-41-1-1.zip DB7-41-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks	
015868	LS	Create AASNs - log an order event for all AASN drivers	
016237	DH	Export consignment data to transporter - rectify exception handling when main stored procedure returns an error	
016307	YM	Import sales orders from GFast - change the backup extension to BKP	
016336	CL	Consignment details entry / update / enquiry - consider the toll express check digit when searching by consignment number	
016369	DH	Returns PDF - rectify field growth when data is too big for the fields	
016379	BA	Setup printers by user - rectify program crash when a printers list of available trays changes	
016381	HW	Import orders (RBU730P) - synchronise the backup file format with the import file format	
016383	UT	Import orders - Integrator - record the original order number for use on the AASN when the Kmart release number is suffixed to the order number	
016410	LS	RF putaway - correctly title the help screen	
016411	LS	RF pick/pack - rectify field descriptions in the help screen	
016414	DH	Import freight tracking details from transporter - StarTrack - enhance overall performance of program	
016414	DH	Import freight tracking details from transporter - AAE - enhance overall performance of program	
016414	DH	Import freight tracking details from transporter - DHL generic - enhance overall performance of program	
016429	AR	Scan & pack orders - rectify automatically open new box misoperation	
016440	CA	Scan & pack orders - rectify over packing a store when using the Single unit pack feature	
016458	HA	Consignment details entry / update / enquiry - print Toll Ipec freight label on 150mm x 100mm stationary	
016463	LS	iSupplyWeb - correctly restrict access to the Consignment Note Reprint page	
016465	CA	Consignment details entry / update / enquiry - rectify laser consignment note print/reprint	
		Incorporations from fix versions	
		From version 7.39.4.3	
016446	DH	Consignment Details Entry / Update / Enquiry - prevent the location and postcode from being cleared upon consignment consolidation	
New maint	ainable set	tings	
Setting		Details	

None	None			
Import/export file format changes				
Transaction	Data fields			
None	None			

<u>Notes</u>

Import Freight Tracking Details from Transporter When setting up a scheduled task to import freight tracking events, the transporter maintenance for the transporter that submits the tracking events import file must contain the relevant "Tracking import" setting from the drop down list, to ensure that the scheduled task import operates correctly.

iSupply install steps for this release when upgrading from iSupply version 7.40.1.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-41-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-41-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-41-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 7-41-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{has}}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{has}}}\xspace \ensuremath{\mathsf{has}}\xspace \ensure$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-41-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-41-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-41-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-41-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-41-1-1.sql.

Finalisation

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.