iSupply software application - release advice - version 7.56.1.1

Prerequisites - iSupply

iSupply version 7.55.1.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 7.56.1.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.56.1.1   **released 01/06/2011 (017455)**
MSI path and name: **http://www.lsi.net.au/files/versions/iSupply-7-56-1-1.zip**
SQL update scripts: **DB7-56-1-1.sql**

Release inclusions and notes

Job-no	Code	Details/remarks

016278	UT	Build Manifests/Print Manifest Details Bluestar Logistics - include transporter specific manifest format iSupply/iSupplyWeb
017374	RC	Scan & Pack Orders List of pick slips enquiry form - include All Senders and All Warehouses option similar to list of orders enquiry form iSupply
017419	VA	Consignment Details Entry Improve determination of origin cost zone when there is no location in the receiver name and address iSupply/iSupplyWeb
017438	VA	Freight Label Print Toll Express - include transporter specific freight label format iSupply/iSupplyWeb
017438	VA	Build Manifests/Print Manifest Details Toll Express - include transporter specific manifest format iSupply/iSupplyWeb
017449	LS	Improve population of all sender, warehouse, transporter and service drop down lists taking into account user, sender and sender/warehouse settings iSupplyWeb
017452	HA	Export Consignment Data to Transporter Toll Ipec - rectify construction of barcode data iSupply
017455	LS	Export Consignment Data to Transporter Border Express - rectify incorrect freight item length, width and height values iSupply
017455	LS	Consignment Details Entry Auto-populate the service code when there is only one service recorded for the selected transporter iSupplyWeb
017455	LS	Build Manifests/Print Manifest Details Generic, Toll Ipec and TNT manifest formats - include dangerous goods declarations iSupplyWeb
017455	LS	Receiver Details Maintenance Location search form is defaulted to location sequence iSupplyWeb
017455	LS	Consignment Details Entry Rectify incomplete saving of pack unit details when pack unit records exceeds 4 iSupplyWeb
017455	LS	Postcode/Locations Maintenance Locations search from is defaulted to location sequence iSupplyWeb
017455	LS	Consignment Details Entry Customer manifest style "C/Note details" - rectify error that printed one page over two pages iSupply
017455	LS	Reports - all reports Improve report content according to "Print Freight Costs" and "Print Freight Charges" report settings iSupplyWeb
017455	LS	Reports - Transport Costs by Consignment, Receiver, Transporter, Rectify "All Senders" radio button enable when user account is set to single or multi sender iSupply
017455	LS	Reports - Transit Performance, Freight Charging, Reverse Billing Rectify "All Senders" radio button enable when user account is set to single or multi sender iSupply
017468	LS	Build Manifests/Print Manifest Details Improve handling of shipment advice email exceptions iSupply
017496	LS	Consignment Details Entry Improve "palletise items" functionality when the pallet pack unit data does not record dimensions iSupply/iSupplyWeb

New maintainable settings

Setting	Details
None	None

Import/export file format changes

Transaction	Data fields

None	None

<u>Notes</u>

None

None	None

<u>Notes</u>

None

iSupply install steps for this release when upgrading from iSupply version 7.55.1.1

Preparation
1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-56-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-56-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-56-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-56-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
   7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
   7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
   8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
(Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
   8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-56-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-56-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-56-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-56-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-56-1-1.sql.

Finalisation
1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.