iSupply software application - release advice - version 7.57.2.1

Prerequisites - iSupply

iSupply version 7.57.1.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 7.57.2.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.57.2.1   **released 05/07/2011 (017551)**
MSI path and name: **http://www.lsi.net.au/files/versions/iSupply-7-57-2-1.zip**
SQL update scripts: **DB7-57-2-1.sql**

Release inclusions and notes

Job-no	Code	Details/remarks

014377	LS	Delete Old Orders Improved deletion process using stored SQL procedure iSupply
017085	LS	Distances Maintenance Correctly handle the entry of origins and destinations as determined by the transporter's rating method iSupply
017521	DH	Export Consignment Details DHL550P - change the mapping of the pack unit data iSupply
017531	TA	Freight Label Print/Reprint New Zealand Couriers and Castle Parcels formats - adjust printing to fit on label stationery iSupply
017538	DH	Export Freight Tracking Details Improve performance iSupply
017539	DH	Receiver Details Maintenance Change/delete/enquiry modes - improve performance of search list iSupply
017541	DH	Freight Label Print/Reprint Improve the freight label printing performance iSupplyWeb
017551	LS	Import Consignment Note Details and Error Report Rectify incorrect validation when data entering a specific transport and service restricted by sender/warehouse setup [INR-01] iSupply
017551	LS	Print Manifest Details Improve performance when retreiving manifests to reprint [INR-07] iSupply/iSupplyWeb
017551	LS	Consignment Details Entry When entering pack units, ensure that any pack unit kilograms are auto-populated into consignment details [INR08] iSupplyWeb
017551	LS	Bulk pick/Pick Pack Fix RF Pick/Pack to disallow an over pick, and RF Bulk PIck to allow an over pick [INR-09] iSupplyRF
017561	LS	iSupplyRF licencing Disallow user login if the user count exceeds the client's total license count iSupplyRF
		Incorporations from fix versions
		From version 7.46.2.4
017542	DH	Consignment details enquiry Ensure that multiple clicks on the search button starts only one enquiry iSupply
		From version 7.56.2.1
017499	VA	Consignment details entry Allow consignment consolidation for already sales order exported consignments depending upon "Allow c/note change after export to host" iSupply/iSupplyWeb

New maintainable settings

Setting	Details
None	None

Import/export file format changes

Transaction	Data fields
None	None

Notes

None

iSupply install steps for this release when upgrading from iSupply version 7.57.1.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-57-2-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-57-2-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-57-2-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-57-2-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
   7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
   7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
   8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
(Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
   8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-57-2-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-57-2-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-57-2-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-57-2-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-57-2-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.