### iSupply software application - release advice - version 7.57.8.1

| Prerequisites - iSupply | Prerequisites - iSupplyRF |
|---|---|
| iSupply version 7.57.7.1 | Microsoft .NET Compact Framework 3.5 |
| Microsoft .NET Framework 4.0 | |
| Microsoft Report Viewer 2010 SP1 | |
| SAP Crystal Reports Runtime Engine for .NET Framework 4 | |

**iSupply release and version details**

| | |
|---|---|
| iSupply version: | 7.57.8.1 |
| Release status: | General release |
| Applications released: | iSupply, iSupplyWeb, iSupplyRF |

**This release must be installed to the test environment and user acceptance tested before installation to the live environment**

| | |
|---|---|
| **iSupply version 7.57.8.1** | **released 05/09/2011 (017678)** |
| **MSI path and name:** | **http://www.lsi.net.au/files/versions/iSupply-7-57-8-1.zip** |
| **SQL update scripts:** | **DB7-57-8-1.sql** |

**Release inclusions and notes**

| Job-no | Code | Details/remarks |
|---|---|---|
| | | **Incorporations from fix versions** |
| | | **From version 7.41.8.4** |
| 017664 | UT | Import Consignment Details<br>Import pre-allocated consignments to construct the TNT freight label barcode<br>iSupply |
| | | **From version 7.46.1.2** |
| 017531 | TA | Freight Label Print<br>New Zealand Couriers - rectify print alignment on label stationery<br>iSupply |
| 017572 | TA | Freight Label Print<br>Toll Ipec - rectify reference data<br>iSupply |
| 017592 | TA | Export Pick Slips<br>Ensure that zero confirmed pick slips are exported to the host<br>iSupply |
| | | **From version 7.56.3.1** |
| 017584 | VA | Export Consignment Details to Transporter<br>Toll Ipec export - conform to the specification for cubic dimensions, cubic metres and kilograms<br>iSupply |
| 017585 | YM | Consignment Details Entry<br>Orders mode - the warehouse code is not being auto-populated into consignment details when despatching an imnported sales order<br>iSupply/iSupplyWeb |
| | | **From version 7.56.4.1** |
| 017385 | YM | Consignment Details Entry<br>Rectify the duplication of consignment note numbers<br>iSupply/iSupplyWeb |
| 017607 | YM | Consignment Details Entry<br>Do not create freight charging data when consignment is freight free<br>iSupply/iSupplyWeb |
| 017634 | YM | Consignment Details Entry<br>Case scanning - rectify incorrect sequence of pack units in drop down list<br>iSupply |
| | | **From version 7.57.3.1** |
| 017304 | PP | Import Sales Orders<br>Reject only invalid records and import valid records instead of rejecting the entire import file<br>iSupply |

| 017304 | PP | Print Manifest Details<br>Include a "Printed name" line underneath the signature line<br>iSupply/iSupplyWeb |
|---|---|---|
| | | **From version 7.57.4.1** |
| 017577 | HW | 3PL Charge Rates<br>Record an dapply 3PL charge rates by Sender/Warehouse<br>iSupply |
| 017578 | HW | Relocate Stock<br>Rectify incorrect stock update on relocate completion<br>iSupplyRF |
| 017582 | HW | Create Pick Slips<br>Improve the Replenishment Report content<br>iSupply |
| 017588 | HW | RF Task Monitor<br>Change Pick Slips Fully Picked filter to show onlt the last seven days<br>iSupply |
| 017589 | HW | Cycle Count<br>Rectify incorrect stock update and cycle count book creation<br>iSupplyRF |
| 017590 | HW | Cycle Count<br>Rectify incorrect translation of combined product and quantity barcode<br>iSupplyRF |
| 017595 | HW | Print Customer Manifest<br>Include signature and printed name lines at end of manifest<br>iSupply |
| | | **From version 7.57.5.1** |
| 017610 | HW | Order Entry/Enquiry<br>Rectify system error when deleting an order<br>iSupply |
| 017611 | HW | Scan IBNs<br>Rectify missing warehouse code when switching from the IBN scans to the<br>consignment details<br>iSupply |
| 017613 | HW | 3PL Charges Worksheet<br>Rectify report content for missing and duplicated transactions<br>iSupply |
| 017614 | HW | Put Away<br>Rectify truncation of the shipment advice number on Confirm Put Away Group<br>form<br>iSupplyRF |
| 017615 | HW | Receiving<br>Rectify truncation of the shipment advice number on Confirm Receiving Group<br>form<br>iSupplyRF |
| 017616 | HW | Print/Reprint Pick Slips<br>Include warehouse and name on pick slip<br>iSupply |
| 017619 | HW | Export Received Shipment Advices<br>Include shipment advice references in export file<br>iSupply |
| | | **From version 7.57.6.1** |
| 017613 | HW | 3PL Charges Worksheet<br>Rectify report content for missing and mis-sorted transactions<br>iSupply |
| 017613 | HW | 3PL Charges Entry<br>Enable the entry of miscellaneous charges at charges confirm time<br>iSupply |
| 017614 | HW | Put Away<br>Rectify truncation of the shipment advice number on Confirm Put Away Group<br>form<br>iSupplyRF |
| 017628 | LS | Product Stock Report<br>Include receiving bin locations in the quantity available calculation<br>iSupply |
| 017629 | HW | Create Pick Slips<br>Stock allocation routine to not allocate stock on hold<br>iSupply |
| | | **From version 7.57.7.1** |
| 017645 | HW | Put Away<br>Improve processing when multiple lines for same product<br>iSupplyRF |

| 017646 | HW | 3PL Charges Worksheet<br>Ensure that transactions are printed when there are no 3PL charge rates for the charge type<br>iSupply |
|---|---|---|
| 017647 | HW | 3PL Charges Worksheet<br>Include the charge code with the charge description<br>iSupply |
| 017651 | HW | Put Away<br>Rectify incorrect quantities to put away when coming from a blind receipt<br>iSupplyRF |
| 017655 | HW | Put Away<br>Rectify index out of range exception error<br>iSupplyRF |
| 017671 | HW | Customer Manifest<br>Ensure that data is printed in Reference, Customer P/O and Pick Slip Number<br>iSupply |

## New maintainable settings

| Setting | Details |
|---|---|
| None | None |

## Import/export file format changes

| Transaction | Data fields |
|---|---|
| None | None |

## Notes

None

**iSupply install steps for this release when upgrading from iSupply version 7.57.7.1**

### Preparation
1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

### Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-57-8-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-57-8-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.


### Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-57-8-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-57-8-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
  7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
  7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
  8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
  8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

### Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-57-8-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-57-8-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

### Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-57-8-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-57-8-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

### Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-57-8-1.sql.

### Finalisation
1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.