

iSupply software application - release advice - version 8.10.1.1

Prerequisites - iSupply

<u> Prerequisites - iSupplyRF</u>

Microsoft .NET Compact Framework 3.5

iSupply version 8.9.1.1 Mic Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4

iSupply release and version details

iSupply version: Release status: Applications released:

8.10.1.1 General release iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 8.10.1.1 MSI path and name: SQL update scripts:

released 05/06/2013 (018318) http://www.lsi.net.au/files/versions/iSupply-8-10-1-1.zip DB8-10-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks		
018004	SC	Stock Takeup Various fixes and improvements iSupplyRF [TD6] (NHU)		
018127	SC	Receive Shipment Advices Receiving application revised to use web services and stored procedures iSupplyRF [TD2, TD6]		
018255	SC	Delivery Runsheet Improve geolocation updates for senders, warehouses and receivers iSupply [TD8]		
018301	DH	Export Consignment Data to Transporter Toll Ipec adjust export file to latest specification iSupply [TD8] (NHU)		
018314	SC	Print Customer Manifest Rectify incorrect order association when order is part of a bulk pick slip iSupply [TD8] (NHU)		
018318	LS	Sender Details Maintenance Rectify incorrect data content in order processing defaults frame iSupply [TD8] (NHU) [INR-02]		
018318	LS	Consignment Details Enquiry Ensure that manifest number is displayed when moving forwards/backwards iSupply [TD8] (NHU) [INR-03]		
018318	LS	Web Service Audit Log Display details in descending date/time sequence iSupply [TD8] (NHU) [INR-04]		
018318	LS	Create Pick Slips Ensure that special instructions are copied from an imported order to the pick slip [TD8] (NHU) [INR-09]		
018319	LS	Order Entry Always default orders to Held state if Sender/Warehouse maintains stock iSupplyPortal [TD2] (NHU)		
018321	LS	Print IBN labels Rectify the width of the barcode - not fitting onto the 4cm wide labels iSupply (NHU)		
018337	SC	Shipment Advice Entry Landed costs data entry field changed to optional entry iSupply [TD8] (NHU)		
018338	SC	Drivers and Delivery Vehicles Maintenance Correct spelling errors and include help files iSupply [TD8] (NHU)		

018339	LS	RF Task Monitor Rectify multiple receiving tasks when grouping shipment advices iSupply [TD8] (NHU)	
018341	LS	Maintenance Programs Correct the spellings in the program action menu help drop down iSupply [TD8] (NHU)	
018356	SC	Delivery Runsheet Tidy up format and content iSupply [TD8] (NHU)	
018371	SL	Sender Details Maintenance Rectify order processing defaults data field content iSupply [TD8] (NHU)	
018377	SC	C Print Manifest Details Rectify exception error for specific sender option iSupply [TD8] (NHU)	
		Incorporations from fix versions	
		From version 8.7.7.1	
018328	РМ	Import MYOB orders Only attempt to retrieve location if the address line is not blank eTS	
		From version 8.7.8.1	
018285	РМ	Pick/Pack Rectify crash with parallel transactions error message iSupplyRF [TD2] (NHU)	
018290	РМ	Pick/Pack Disable scanning on pick slip header to prevent incorrect IBN recording iSupplyRF [TD2] (NHU)	
018295	PM	Import Orders Ensure derived receiver codes do not contain spaces and/or commas iSupply, iSupplyWeb, iSupplyPortal [TD2]	
018315	LS	Print IBN Labels Rectify incorrect printing of IBN barcodes when printing ranges iSupply [TD2] (NHU)	
018319	LS	Order Entry Always default orders to Held state if Sender/Warehouse maintains stock iSupplyPortal [TD2] (NHU)	
018321	LS	Print IBN Labels Rectify barcode size to fit on label stationery iSupply [TD2] (NHU)	
018358	PM	Ticket Expiry and Timeout Improve error messages when session ticket expires iSupplyPortal [TD2] (NHU)	
018359	РМ	Export Consignment Data to Transporter Australia Post - ensure that there is a delivery name populated iSupply [TD2] (NHU)	
018360	РМ	RF Task Monitor Ensure that an order with lower case sender code displays iSupply [TD2] (NHU)	
018362	PM	Confirm RF Pick/Pack Boxes Disallow a change to transporter/service once the first IBN is scanned iSupply [TD2] (NHU)	
018363	РМ	Cycle Count Record a count of zero for a product iSupplyRF [TD2] (NHU)	
018365	PM	Order Entry Ensure that an order contains a receiver name and address line 1 iSupplyPortal [TD2]	
018368	РМ	Confirm RF Pick/Pack Boxes Enable changes to receiver name and address iSupply [TD2] (NHU)	
018376	PM	Confirm RF Pick/Pack Boxes Ensure that freight labels take note of Sender/Warehouse sending and warehouse name/address settings iSupply [TD2] (NHU)	
		From version 8.7.9.1	
018395	PM	Cycle Count Create stock movement records when the bin is marked as empty iSupplyRF [TD2] (NHU)	
018397	РМ	Import Orders Ensure that derived receiver codes contain only alphanumeric characters iSupply [TD2] (NHU)	

New maintainable settings				
Setting	Details			
None	None			
Import/export file format changes				
Transaction	Data fields			
None	None			
Notes None				

iSupply install steps for this release when upgrading from iSupply version 8.9.1.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 8-10-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 8-10-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 8-10-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 8-10-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{cs}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{cs}}\xspace \ensuremath{\mathsf{beensuremath{\mathsf{beensuremath{\mathsf{bee}}\xspace \ensuremath{\mathsf{beensuremath{beensuremath{\mathsf{beensuremath{beensuremath{\mathsf{beensuremath{beensuremath{beensuremath{\mathsf{beensuremath{beensuremath{beensuremath$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 8-10-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 8-10-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 8-10-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 8-10-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB8-10-1-1.sql.

<u>Finalisation</u>

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.