iSupply software application - release advice - version 9.21.1.1

Prerequisites - iSupply

iSupply version 9.20.1.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 9.21.1.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 9.21.1.1	**released 25/09/2017 (020362)**
MSI path and name:	**http://www.lsi.net.au/files/versions/iSupply-9-21-1-1.zip**
SQL update scripts:	**DB9-21-1-1.sql**

Release inclusions and notes

Job-no	Code	Details/remarks

020110	PM	Order Import - EDI730P and CNP730P Rectify address construction logic in order import iSupply, eCS
020158	LS	Export consignment data to Transporter - Australia Post Integration with Australia Post APIs iSupply, iSupplyWeb
020312	PC	RF Task Monitor RF Task monitor line count on pick slips adjustment iSupply
020313	PC	RF Pick Rectify issue in the use of the New IBN shortcut iSupplyRF
020324	CA	Track and Trace - AirRoad Integration with AirRoad freight tracking webservices iSupply, eCS
020349	CA	ASN Emails - by order/receiver option Send ASN Emails by Order iSupply, eCS
020355	UI	Despatched order export translation - DGP726P2 Add cancelled quantity to the Dynamics GP despatched order translator eTS
020357	LS	Postcodes and Locations Extend Postcodes and Locations masterfile to inlcude longitude and latitude iSupply
020363	LS	Pick Slip Delete Improve pick slip deletion messaging iSupply
020367	LS	Track and Trace masterfile Adjust event type labels iSupply
020370	CA	Export Consignment Note Details - MHN550P Allow configuration of the export file's extension iSupply, eCS
020371	LS	Freight Label Print/Reprint Add data matrix Australia Post label iSupply, iSupplyWeb
020379	PC	RF Picking Rectify toggling of quantity entry modes iSupplyRF
020381	CA	Consignment Note Print - DHL Add DHL consignment note format iSupply, iSupplyWeb
020385	UI	Reprint SSCC Label Adjust SSCC reprint process to allow reprinting of non-despatched SSCC labels iSupply
020389	CA	Export Consignment References - XXX125P Add functionality to exclude transporters from export eCS

New maintainable settings

Setting	Details
Sender Details	Email shipment advice

Import/export file format changes

Transaction	Data fields
None	None

Notes

None

iSupply install steps for this release when upgrading from iSupply version 9.20.1.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-21-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-21-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-21-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-21-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
    7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
    7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
    8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
    8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-21-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-21-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-21-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-21-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB9-21-1-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.