iSupply software application - release advice - version 9.28.2.1

Prerequisites - iSupply

iSupply version 9.28.1.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 9.28.2.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 9.28.2.1	**released 24/07/2018 (020860)**
MSI path and name:	http://www.lsi.net.au/files/versions/iSupply-9-28-2-1.zip
SQL update scripts:	DB9-28-2-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks
020863	SL	iSupply Side version for multiple incorporations iSupply
		Incorporations from fix versions
		From version 9.24.8.1
020835	RC	Export Consignment Data to Transporter - AUP620P2 Add options to request tracking emails from Transporters iSupply, eCS
020840	LS	Setup Schedule Tasks Add logging capabilities to web service requests iSupply, eCS
		From version 9.24.9.1
020857	SL	Import Consignment Note Details - MHN791P Add extended reference cubic data if configured iSupply, eCS

New maintainable settings

Setting	Details
	Enable email tracking
	Request Logging
Sender Details	Allow extended pre-con import fields

Import/export file format changes

Transaction	Data fields
Carrier Export - Aus Post Web Service	Add configurable option to receive tracking emails from carrier
Consignment Import - Generic (base program)	Added extended reference fields
Miscellaneous Interface - Receivers import	Added email tracking field

Notes

Consignment import changes
=======================
Configuration added to Sender->Consignment settings to allow extended tracking fields in the MHN791P import format.

These fields will ignore the calculate cubic and weight rounding settings to allow mandatory data to be imported for Australia Post.
Change mode will continue to monitor these settings so changes must be made in host system and re-imported if you do not have the correct setup.

Australia Post export changes
=======================
Configuration added to Receiver to enable email tracking in the Australia Post web service call.

Configuration added to Scheduled Tasks Set Up to log web service requests.

iSupply install steps for this release when upgrading from iSupply version 9.28.1.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-28-2-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-28-2-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-28-2-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-28-2-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
   7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
   7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
   8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
   8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-28-2-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-28-2-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-28-2-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-28-2-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB9-28-2-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.