iSupply software application - release advice - version 7.31.1.1

Prerequisites - iSupply

iSupply version 7.30.1.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 7.31.1.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.31.1.1   released 17/03/2009 (015561)
MSI path and name: http://www.lsi.net.au/files/versions/iSupply-7-31-1-1.zip
SQL update scripts: DB7-31-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks
012257	LS	Order entry/enquiry – delete mode – check for RF pick task in progress before deleting
012764	LS	RF pick/pack – streamline access to "Mark as empty bin" function key
012924	LS	Consignment details entry – rectify freight cost calculation when "Disallow zero freight cost" option is set together with "Consolidation" option
013218	LS	RF pick/pack – rectify incorrect deletion of in progress RF pick/pack task
014048	LS	Freight charging report – rectify incorrect page breaks
014108	GM	Consignment details export - Mainfreight – rectify incorrect consignment date
014395	GM	Create AASN – rectify incorrect date in the AASN file
014433	LS	Order entry/enquiry – print orders option – rectify incorrect printing of first enquired order irrespective of current enquired order
014976	LS	Order entry/enquiry – delete mode – include database constraints to prevent order product orphans
014979	LS	Consignment details entry – rectify incorrect freight label number allocation from DEFAULT transporter service
015166	LS	UN Hazchem code and class – rectify incorrect terminology
015333	LS	Sender details maintenance – rectify last SSCC number update error
015429	HW	Import orders from SAP – rectify incorrect conversion of host system AASN number
015429	HW	Import orders from SAP – rectify incorrect edit that allows the import of duplicate product lines
015488	HW	Create AASN - warehouse code on AASN export file
015497	GT	Scan & pack orders - SSCC label – Harris Scarfe
015511	YM	Consignment details entry – case scanning – rectify slow running query
015512	LS	Report request forms – startup default options
015516	LS	Import orders – retailer EDI order cancellations
015531	LS	Company products import – rectify incorrect pack unit validation
015537	HW	Freight label – Toll Ipec – rectify incorrect barcode
015565	LS	Export consignment details to transporter – convert Courier Australia and TNT
015594	LS	Origin/destination charging zones, Distances, Track and trace events maintenance – improve data field prompts

New maintainable settings

Setting	Details

None	None
Import/export file format changes	
Transaction	**Data fields**
None	None

Notes

None

iSupply install steps for this release when upgrading from iSupply version 7.30.1.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-31-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-31-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-31-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-31-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
   7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
   7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
   8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
   8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-31-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-31-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-31-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-31-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-31-1-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.