iSupply software application - release advice - version 7.34.1.1

Prerequisites - iSupply
iSupply version 7.33.2.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF
Microsoft .NET Compact Framework 3.5

iSupply release and version details
iSupply version: 7.34.1.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 7.34.1.1	**released 07/07/2009 (015775)**
MSI path and name:	http://www.lsi.net.au/files/versions/iSupply-7-34-1-1.zip
SQL update scripts:	DB7-34-1-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks
015449	DH	Consignment details entry – create PDF consignments and freight labels for return consignments
015811	LS	Remove unused programs from iSupply – EXC730P, EXL730P and EXL720P
015838	DH	Import consignment note details – rectify partial calculation of freight charges using recovery percentages
		Incorporations from fix versions
		From version 7.31.2.9
015806	DH	Create/modify user accounts – rectify default sender selection to permitted senders
015816	DH	Sender/Warehouse maintenance – rectify incorrect enable/disable of freight label printer data field
015828	DH	Consignment details entry – change examination of labels at entry setting so that system error does not occur
015829	DH	Allocate locations to charging zones – improve search performance
015830	DH	Transporters rates maintenance – rectify incorrect display of minimum charge
		From version 7.33.2.2
015815	CA	Consignment details entry – LPN scanning – rectify incorrect transition from LPN form to consignment details form
015821	CA	Import consignments from Oracle – rectify erroneous printing of freight labels when the importing consignment note has errors

New maintainable settings

Setting	Details
Transporter Details	Email returns c/note and f/labels
Transporter Details	Email template

Import/export file format changes

Transaction	Data fields
Consignment Import - Generic	New alphanumeric data field RETURNS EMAIL ADDRESS length 100 appended to the existing record format after SPECIAL INSTRUCTIONS in record type 1

Notes

Transporter Details Maintenance--->Transporter settings
New setting "Email returns c/note and f/labels"
Checked- enables the return consignments email function when creating a return consignment in consignment details entry or when importing consignment note details

Transporter Details Maintenance--->Transporter settings
New setting "Email template"
The text content of the email for return consignments

Import return consignments EXL790P
New alphanumeric data field RETURNS EMAIL ADDRESS length 100 appended to the existing record format after WAREHOUSE CODE

Import Manhattan consignments MHN790P
New alphanumeric data field RETURNS EMAIL ADDRESS length 100 appended to the existing record format after SPECIAL INSTRUCTIONS in record type 1

iSupply install steps for this release when upgrading from iSupply version 7.33.2.1

Preparation
1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-34-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-34-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 7-34-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 7-34-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
   7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
   (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
   7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
   8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
(Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
   8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-34-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-34-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 7-34-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 7-34-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-34-1-1.sql.

Finalisation
1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.