SATERACTION TRANSPORT OLICK RESPONSE DISTRIBUTION JUST IN TIME WAREHOUSING ENTERPRISE INTEGRATION	Logistics Software International	Logistics Solutions I to Supply Chain Mana <u>Microsoft</u> GOLD CERTIFIED Business Pro Business Pro	Provider gement solutions cess and Integration	Suite 9.2, Level 1 Zenith Business Centre 6 Reliance Drive Tuggerah NSW 2259 Australia Tel: +61 2 4351 3500 Email: <u>support@lsi.net.au</u> Web site: <u>www.lsi.net.au</u> ABN: 33 414 337 680	
iSupply software application - release advice - version 7.57.1.1					
Prerequisites - iSupply Prerequisites - iSupplyRF iSupply version 7.56.1.1 Microsoft .NET Compact Framework 3.5 Microsoft .NET Framework 4.0 Microsoft Report Viewer 2010 SP1 SAP Crystal Reports Runtime Engine for .NET Framework 4 Microsoft 4					
iSupply release an	7 57 1 1				
Poloaco status:	Conoral rolo				
Applications release	d: iSupply iSu	inerar release innly iSunnlyWeb iSunnlyRE			
This release must be installed to the test environment and user acceptance tested before installation to the live environment					
iSupply version 7.57.1.1released 22/06/2011 (017462)MSI path and name:http://www.lsi.net.au/files/versions/iSupply-7-57-1-1.zipSQL update scripts:DB7-57-1-1.sql					

Release inclusions and notes

Code

Job-no

Details/remarks

017414	DH	Build Manifests Improve the speed of building the manifest report and presenting it to the user ISupplyWeb				
017462	LS	SQL update script Check MAINTAIN STOCK for all warehouses for a sender where the sender originally had MAINTAIN STOCK checked iSupply				
017462	LS	Transporter rates In change/deletion/enquiry mode, and a service code is entered to narrow the search, when the transporter code is changed the service code is blanked ready for user input iSupply				
017462	LS	Scan & Pack Orders Using the F6 key to manually enter pack data, rectify incorrect updating of grid lines iSupply				
017466	LS	Main Menu Display version number on menu list iSupplyWeb				
017474	ТА	Export Consignment Data to Transporter Castle Parcels format - improve data content to satisfy transporter requirement iSupply				
017477	HA	Import Pick Slips MomentumPro - ensure that cubic metres and kilograms are copied from the import file into iSupply iSupply				
017487	MS	Export Consignment Data to Transporter UPS - rectify incorrect value in the segment count element iSupply				
017492	LS	Sender/Warehouse Details Maintenance Move the "Maintain stock" setting from the Sender Details to the Sender/Warehouse Details iSupply/iSupplyRF				
017493	LS	All iSupplyWeb forms - LSI skin Look and feel improvements, tidy up label consistency iSupplyWeb				
017494	LS	Picking Fix help for picking batch number and expiry date iSupplyRF				
017495	LS	Picking Fix prompts for picking manual quantity entry iSupplyRF				
017506	HW	Scan & Pack Orders The Search by Pick Slip form was not being presented after the first consignment iSupply				
017516	HW	All iSupplyRF applications When an expiry date is scanned, automatically submit the data to the application iSupplyRF				
017526	LS	Build Manifests Rectify incorrect filtering of data by sender code when building the manifest report iSupplyWeb				
		Incorporations from fix versions				
		From version 7.47.2.1				
014377	LS	Delete Old Orders Improved deletion process using stored SQL procedure iSupply				
014638	LS	Export Orders Rectify program crash when the date is 29th February iSupply				
016714	LS	Consignment Details Entry Display label numbers when the database is in SQL2005 compatibility mode iSupply				
017085	LS	Distances Maintenance Correctly handle the entry of origins and destinations as determined by the transporter's rating method iSupply				
017135	LS	Transporter Details Maintenance Rectify entry of the location field after an add operation iSupply				
New mainta	New maintainable settings					
Setting		Details				

	Maintain stock			
Import/export file format changes				
Transaction	Data fields			
None	None			
Notes None				

iSupply install steps for this release when upgrading from iSupply version 7.56.1.1

Preparation

- 1. Ensure all users are logged out of iSupply and cannot log in.
- 2. Stop the eCS service on the server that runs it.
- 3. Stop any external processes that may access the iSupply database.
- 4. Make a backup copy of the iSupply SQL database.

Application server (x86)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-57-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
- 5. Install iSupply eCS Service 7-57-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

- 1. Uninstall the currently installed iSupply Windows version via Control Panel.
- 2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
- 3. Install iSupply Windows 7-57-1-1 x64.msi by running "setup.exe".

4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.

- 5. Install iSupply eCS Service 7-57-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service
- $\label{eq:service} \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{viSupplyeCSService.exe.config}}\xspace \ensuremath{\mathsf{has}}\xspace \ensuremath{\mathsf{been}}\xspace \ensuremath{\mathsf{ubc}}\xspace \ensuremath{\mathsf{ubc}}\xspace$
- 7. NGEN iSupply Windows
- 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
- 8. NGEN iSupply eCS Service
- 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
- 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-57-1-1.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-57-1-1.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

- 1. Uninstall the currently installed iSupply Web Services version via Control Panel.
- 2. Uninstall the currently installed iSupply Web version via Control Panel.
- 3. Install iSupply Web Services 7-57-1-1 x64.msi by running "setup.exe".
- 4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
- 5. Install iSupply Web 7-57-1-1 x64.msi by running "setup.exe".
- 6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB7-57-1-1.sql.

<u>Finalisation</u>

- 1. Test run iSupply.
- 2. Start the eCS service on the server that runs it.
- 3. Start any external processes that may access the iSupply database.
- 4. Allow users to login to iSupply.