



**LSI**  
Logistics  
Software  
International

**Logistics Solutions Provider  
to  
Supply Chain Management**



Mobility Solutions  
ISV/Software Solutions  
Business Process and Integration

Suite 9.2, Level 1  
Zenith Business Centre  
6 Reliance Drive  
Tuggerah NSW 2259  
Australia  
Tel: +61 2 4351 3500  
Email: [support@lsi.net.au](mailto:support@lsi.net.au)  
Web site: [www.lsi.net.au](http://www.lsi.net.au)  
ABN: 33 414 337 680

**iSupply software application - release advice - version 9.50.1.1**

**Prerequisites - iSupply**

iSupply version 9.49.1.1  
Microsoft .NET Framework 4.0  
Microsoft Report Viewer 2010 SP1  
SAP Crystal Reports Runtime Engine for .NET Framework 4

**Prerequisites - iSupplyRF**

Microsoft .NET Compact Framework 3.5

**iSupply release and version details**

iSupply version: 9.50.1.1  
Release status: General release  
Applications released: iSupply, iSupplyWeb, iSupplyRF

**This release must be installed to the test environment and user acceptance tested before installation to the live environment**

**iSupply version 9.50.1.1**

**released 31/08/2020 (021634)**

**MSI path and name:**

**<http://www.lsi.net.au/files/versions/iSupply-9-50-1-1.zip>**

**SQL update scripts:**

**DB9-50-1-1.sql**

**Release inclusions and notes**

Job-no	Code	Details/remarks
021614	TC	Consignment Entry - Orders mode Rectify issue where orders mode requires selection between despatches iSupply
021619	LS	RF Picking Allow an LPN to be created after all products picked iSupplyRF
021633	LS	RF Picking Add support for alternate picking function for batch and expiry tracked products iSupplyRF
021635	LS	iSupply - Main Menu Add a user favourites section to the main menu iSupply
021636	PC	Order Import - Jiwa Set order status to wait for host until notification of release iSupply, eCS
021637	PC	Company Product Import - JIW738P Rectify issue with the update of inner / outer info iSupply, eCS
021642	PC	Jiwa Shipment Webhook Auto create Supplier master record when it does not exist iSupply, iSupplyRESTServices
021643	PC	Receiving Group Generation - X-Dock Rectify issue with identification of shipment lines for x-dock iSupply, iSupplyRF

**New maintainable settings**

Setting	Details
None	None

**Import/export file format changes**

Transaction	Data fields
None	None

**Notes**

eTS - JIW738P2 changes

=====

JIW738P has been removed from iSupply.

The eTS JIW738P2 program will now output CNP738P4 format for import.  
SenderCode value must be populated in the JIW738P2 eTS config entry now.

## **iSupply install steps for this release when upgrading from iSupply version 9.49.1.1**

### **Preparation**

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

### **Application server (x86)**

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-50-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-50-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service\iSupplyeCSService.exe.config" has been updated with the server and database names.

### **Application server (x64)**

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-50-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-50-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service\iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
  - 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client").
  - 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
  - 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client").
  - 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

### **Web server (x86)**

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-50-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-50-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

### **Web server (x64)**

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-50-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-50-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

### **Database server**

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB9-50-1-1.sql.

### **Finalisation**

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.